DOCUMENT RESUME

ED 429 538 IR 019 446

AUTHOR Lautenbacher, Glenn E.; Mahling, Dirk E.

TITLE Interface Design Issues for Web-Based Collaborative Learning Systems.

PUB DATE 1997-11-00

NOTE 8p.; In: WebNet 97 World Conference of the WWW, Internet & Intranet Proceedings (2nd, Toronto, Canada, November 1-5, 1997); see IR 019 434. Figures may not reproduce clearly.

PUB TYPE Reports - Evaluative (142) -- Speeches/Meeting Papers (150)

EDRS PRICE MF01/PC01 Plus Postage.

DESCRIPTORS Computer Assisted Instruction; *Computer Interfaces; Computer Mediated Communication; *Cooperative Learning; *Courseware; *Design Preferences; Higher Education; Hypermedia; Instructional Design; Instructional Innovation; Navigation (Information Systems); *Screen Design (Computers); *World Wide Web

IDENTIFIERS Collaborative Learning; *Learning Environments; *Problem Based Learning; Prototypes; University of Pittsburgh PA

ABSTRACT

This paper presents interface guidelines from research at the University of Pittsburgh (Pennsylvania) School of Information Sciences in developing a collaborative, problem-based learning environment for the World Wide Web. The lessons learned are based on student use and evaluation of three interface prototypes over the course of 3 years and spanning several domains: (1) CALE I, an X-Windows application that includes functionality to support synchronous as well as asynchronous collaborative problem-based learning; (2) CALE II, a Web-based version of CALE I; and (3) CoMMIT, a frames-based Web application. Insights into appropriate windowing strategies, choice of menu structure and presentation, menus as a group coordination mechanism, and group annotation mechanisms are discussed. Extensions to the interface based on these findings are discussed, and directions for future research are given. Three figures illustrate the CALE I, CALE II, and CoMMIT interfaces. Contains 15 references. (AEF)

****
* Reproductions supplied by EDRS are the best that can be made *
* from the original document. *
****

Interface Design Issues for Web-based Collaborative Learning Systems

U.S. DEPARTMENT OF EDUCATION
Office of Educational Research and Improvement
EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)
☐ This document has been reproduced as received from the person or organization originating it.
☐ Minor changes have been made to improve reproduction quality.
• Points of view or opinions stated in this document do not necessarily represent official OERI position or policy.

Glenn E. Lautenbacher
Dirk E. Mahling

PERMISSION TO REPRODUCE AND DISSEMINATE THIS MATERIAL HAS BEEN GRANTED BY
G. H. Marks
TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)

Department of Information Science and Telecommunications
University of Pittsburgh

ED 429 538

Abstract: This paper presents interface guidelines from our research in developing a collaborative, problem-based learning environment for the WWW. The lessons learned are based on student use and evaluation of three interface prototypes over the course of three years spanning several domains. Insight into appropriate windowing strategies, choice of menu structure and presentation, menus as a group coordination mechanism, and group annotation mechanisms are discussed. Extensions to our interface based on these findings are discussed and directions for future research are given.

1.0 Introduction

Over the past few years, the WWW has evolved from being a simple, document delivery mechanism to an increasingly complex, dynamic, and interactive environment. The ubiquitous nature of the WWW and the platform-independence that it provides to systems developers, provides opportunities to deploy systems that can be accessed virtually anywhere in the world, at any time, and on a wide variety of computers. The advances in telecommunication networks and groupware systems, coupled with the growing interest in distance education, provides a synergy which has led to an increased interest in using the Web as a formal educational delivery mechanism.

The University of Pittsburgh School of Information Sciences has been actively involved in research to develop a computer-supported, collaborative learning environment [Mahling, et al. 1995]. While our initial system was a UNIX/X-Windows-based learning environment, our more recent efforts are aimed at reaching a wider audience and supporting synchronous as well as asynchronous learning via the WWW.

This paper presents our findings with respect to interface design strategies for computer-supported, collaborative, problem-based learning environments. The remainder of this paper is divided into three main parts. In section two, we introduce two educational scenarios for distance as well as collaborative learning within which our systems have been used and evaluated. In section three, we provide a chronological summary which highlights our research in developing collaborative learning environments to date. Section four discusses the collaborative learning interface requirements that we have discovered.

2.0 Computer Support for Collaborative Learning

Developing effective instructional software for Computer-Supported Collaborative Learning (CSCL) demands that it be flexible enough to accommodate various patterns of use [Koschmann 1996]. In this section, we briefly review two of those CSCL scenarios, collaborative learning and asynchronous/synchronous problem-based learning, within which our collaborative learning environment has been tested.

IR019446

2.1 Collaborative Learning

The objective of collaborative learning is to encourage a group of students to work together to solve a problem. Collaborative learning strives to foster teamwork, individual accountability, prompt feedback, high self-expectations, and a respect for diversity among group members. Several studies have shown collaborative learning to be an effective model for education [McKeackie 1980; Kulik & Kulik 1979; Smith 1986]. Shared editing, synchronous and asynchronous work on a case, or navigating an information space together are some examples of opportunities where advanced computing technology can add to this pedagogical approach.

2.2 Synchronous/Asynchronous Problem-Based Learning

In recent years, problem-based learning (PBL) has received increased attention as a tool in medical curriculums and as the basis for designing new, innovative curricula in other fields as well. Medical schools have looked to PBL as a means to teach problem solving skills, to help students develop independent learning skills, and to create a bridge from lecture-based to more collaborative-based courses [Barrows 1994].

PBL helps students improve their reasoning skills by encouraging them to consolidate isolated facts into connected, conceptual clusters. PBL has been chiefly supported by conventional documents and "paper patient simulations", though an increasing number of computer-supported environments are emerging [Grisson & Koschmann 1995; Mahling, et al. 1995; Hmelo, et al. 1995]. We believe that electronic information technology developed for the Web can truly unlock the potential of PBL for many learners in a variety of academic domains. Multimedia enables case materials to be represented very realistically. In addition, data systems minimize the bookkeeping chores found in PBL course administration. Also, the documentation created during the group's approach to the problem can be automatically recorded. Advances in groupware research can be applied to provide computer support for cooperative, problem-based, distance learning.

3.0 Mapping Stand-alone Applications to the Web

Our research in computer support for collaborative learning began as a collaboration with the University of Pittsburgh School of Medicine. The collaboration was centered around how computers might help support the School of Medicine's efforts in implementing a problem-based learning curriculum. Finding a more efficient way to deliver PBL cases to groups of students, as well as providing tools that support and facilitate collaboration among small groups of students, were among the chief concerns.

3.1 CALE I: PBL for groups under UNIX



Figure 1 CALE I Interface

BEST COPY AVAILABLE

CALE I (Fig. 1) is an X-Windows application and includes functionality to support synchronous as well as asynchronous collaborative problem-based learning. The system is a comprehensive, collaborative learning environment where students explore PBL cases on-line, take notes using a shared information space, and associate comments with case materials for future reference and learning by the group. CALE I was introduced as part of the University of Pittsburgh's *Medial Decision Making* course.

3.2 CALE II: Porting an X-Windows Application to the WWW

Figure 2 CALE II Interface

The ability to reach a wider audience via the WWW resulted in CALE II, a web-based version of our collaborative learning environment (Fig. 2). CALE II was used by the University of Pittsburgh Pathology Department as part of their *Integrated Life Science in Pathology* course. The CALE II interface was restricted to a single window due to the limitations in the HTML standard at that time. The single window interface strategy placed a considerable cognitive load on students as they navigated and worked through PBL cases. The insight gained from student evaluations of the CALE II interface, coupled with advances in tools for Web application development, led us to develop our current web-based collaborative learning interface (CoMMIT) (Fig. 3).

3.3 CoMMIT: A WWW PBL Interface Based on Frames



Figure 3 CoMMIT Interface

BEST COPY AVAILABLE

CoMMIT is a frames-based web application and has been used in the University of Pittsburgh's Department of Information Science and Telecommunications as part of an undergraduate course in Human-Computer Interaction. The remainder of this paper presents our findings resulting from empirical testing and evaluation of these three interfaces.

4.0 PBL Interface Guidelines

The look-and-feel of our collaborative learning environment has changed dramatically since its inception over four years ago. The evolution of these interfaces has revealed a number of interface design issues regarding appropriate windowing strategies, menu presentation strategies and structures, and annotation mechanisms that are conducive to computer support for collaborative, problem-based learning.

4.1 Effects of Window Strategies on Case Navigation

The memorization of isolated facts proves to be ineffective for complex problem-solving tasks [Spiro, et. al. 1987]. PBL curriculums aim to overcome this on a case-level by requiring students to integrate information from several case documents to support their hypotheses or confirm their conclusions. System designers often employ a multiple-window interface strategy in situations where several information sources must be consulted simultaneously; however, the effects of single-vs.-multiple windows in computer-supported learning environments is still debated [Bly & Roesenberg 1986; Benshoof & Simon, 1993].

Each of our three prototypes employed a different windowing strategy to determine which is most effective. The CALE I system (Fig. 1) used an overlapping window strategy. Students were able to keep as many windows open as they liked; however, student response confirmed that this strategy often leads to feelings of being overwhelmed with "window-housekeeping chores" and not being able to spend enough time on the task. This finding is consistent with the findings in user-interface design research which points at the importance of letting the users focus on the domain tasks with minimal cognitive effort used for interface navigation [Card, Moran, & Newell 1983].

The web-based, CALE II interface (Fig. 2) employed a single window strategy (primarily because web development was not conducive to multi-window strategies at that time). A linear sequence of full-screen menu choices were presented to the students until the desired case material was eventually presented. Students again reported feelings of being "lost" and complained that they could not form an appropriate mental model of the case space or where they were within the case. The single-window model was clearly not appropriate. It is interesting to note that neither the total flexibility of multiple overlapping windows, nor the rigidity of single window task focus were appropriate for the learners.

The CoMMIT interface displays both the main and corresponding secondary menus at all times to facilitate students' navigation through a case. Student-requested case documents are presented in a separate tiled window. A group Notepad resides in an accompanying, floating window to support the need to organize group thoughts and ideas during case exploration. Overall, students have responded positively to a tiled-window strategy coupled with a floating Notepad window, yet simultaneous presentation of multiple documents is still a problem. We are currently extending the functionality of the CoMMIT interface to employ a combined tiled and overlapping windows approach to allow for the viewing of multiple case documents simultaneously.

4.2 Menu Structure and Presentation

PBL presents a challenge for the system designer to determine an effective way for structuring and providing access to case documents such that the system is conducive to case exploration. Students follow an iterative cycle of requesting information, analyzing and integrating this information with what is already known, and determining whether the case can be solved or if the cycle should be repeated. Supporting this high level of

information requests requires the thoughtful choice from a host of menu structuring strategies. A comprehensive taxonomy of menu strategies has been suggested by Schneiderman [Schneiderman 1992].

When users have a large number of selections from which to choose, menus organized by categories are an effective strategy [Norman 1991]. Students using our system find a two-tiered menu structure with domain-specific categories on the Main Menu and corresponding case materials on a corresponding second-level menu. This strategy allows PBL case authors to help shape the students mental model of the domain and use menu terminology that is familiar to the students. Students expressed that this two-tiered menu structure works well, but only if the menus are visible at all times.

The single interface of CALE II required us to modify the presentation of our two-tiered menu. In CALE II, students would first be presented with a list of Main Menu options. After selecting an item from the Main Menu, the system next presented the second-level menu with options corresponding to the Main Menu choice. Choosing one of the secondary menu options resulted in a case material being presented. After students were finished viewing a case material, the system would return them to the Main Menu and the cycle would begin again. This linear presentation of two-tiered menus resulted in a substantial cognitive overload for students. Students expressed feelings of "getting lost" in the menu structures and felt that it was difficult to form an appropriate mental model of the case document space.

We have found that the availability of the menu at all times is critical for collaborative, PBL environments. In the CoMMIT interface, students can see the Main and Second-level Menus at all times - each menu resides in a separate tiled window. Choosing an item from the Main Menu updates the Second-Level menu. Selecting an item from the Second-Level Menu presents the selected document in the case material window. Using this menu model allows students to see how they got to a particular case material and reminds them of the document categories from which they can choose.

An interesting student behavior that we observed is that students rely on the menu not only as case material selection mechanism, but also as a mechanism for coordinating group activities. Student evaluations of all three interfaces suggest that the menu structure should include status information such as which options were attempted by the group, whether or not the request was successful or not, and if not, how many times had the option been tried. We look forward to incorporating these suggestions into our next version of CoMMIT and assessing its utility in facilitating group problem-solving.

4.3 Context-sensitive classification of Case Annotations

Students in paper-based PBL often use a physical blackboard divided into four columns: Facts, Hypotheses, Learning Issues (to do's) and Actions to help organize the group's thoughts and ideas during case exploration [Meyers, et al.1990]. In the paper-based PBL environment, one student in the group acts as a scribe to record and update the information in these four categories on the blackboard as the group proceeds through the case. To support this requirement in our system, we developed a shared information space called the NotePad that follows the blackboard metaphor. During case exploration, students switch to the Notepad Window to record information in any of the four categories as the need arises. The system records the name, time, and date of student annotations and orders those annotations from most-to-least recent.

We found that the students perception of the blackboard metaphor changed when the blackboard was implemented electronically. Students suggested that while the blackboard metaphor provided some computer-support for the group's information needs, they preferred to enter this information directly with the case material rather than using a separate Notepad window. We found that students often used our Margin Note feature (originally intended for making only general comments "in the margins" of displayed case materials) in lieu of the Notepad when entering information about facts/hypotheses, etc. This practice was consistent across all groups in all domains that used our system.

An analysis of this phenomenon led us to conclude that supporting the Margin Note approach to group case annotation has several merits:

students remain focused on the task of annotating rather than concerning themselves with window management tasks of switching back and forth between the case material and Notepad windows.

annotations used with the Margin Note feature provided a richer context within which to understand student annotations thus students were more likely to annotate for both themselves and for the benefit of the group.

because the annotations were more contextually dependent, facilitators could more accurately assess the breadth and depth of the students' knowledge and reasoning which is a fundamental principle of PBL [Koschmann 1996].

annotations made with the case material can be classified by the students at entry and automatically indexed in the NotePad such that group activities can be viewed at a glance. In this way, the NotePad can serve as a point of departure for future collaborative sessions on the case.

5.0 Summary of Lessons Learned

Our initial efforts at supporting collaborative learning in a problem-based learning environment were concerned with providing a shell within which PBL cases could be delivered to groups of students. Although our initial systems did provide computer support for collaborative problem-based learning, our experiences in implementing three different interfaces helped us uncover more subtle interface requirements for this type of learning environment. Specifically:

students prefer a semi-structured window management strategy over a totally unstructured or totally rigid window management scheme,

a two-tiered, hierarchical menu structure is effective for students to form and maintain a mental model of the case document space but only if those menus are displayed together and at all times,

the blackboard metaphor is only partially effective in our computer-supported PBL environment. Students prefer to organize hypotheses, facts, and action items at the point of entry (with the case materials themselves) rather than using a blackboard metaphor,

a sorted, centralized compilation of student case material annotations (done automatically by the system) provides a high-level perspective of group activities. These centralized compilations can permit both students and facilitators to more accurately audit the group's knowledge and problem-solving processes.

References

[Barrows 1994] Barrows, H. S. (1994). *Practice-based learning: problem-based learning applied to Medical Education.* Springfield, IL: Southern Illinois University School of Medicine.

[Benshoof and Simon 1993] Behnsoof, L. A., & Simon, H. (Autumn 1993). The Effects of Single and Multiple Window Presentation on Achievement During Computer-Based Instruction. *Journal of Computer-Based Instruction,* 20 (4), 113-117.

[Bly and Rosenberg 1986] Bly, S. A., & Rosenberg, J.K. (1986). A Comparison of Tiled and Overlapping Windows. *CHI '86 Human Factors in Computing Systems Conference, 1986,* Association for Computing Machinery's Special Interest Group on Computer and Human Interaction (ACM/SIGCHI) in cooperation with the Human Factors Society and ACM/SIGGRAPH, Boston, MA..

[Card, Moran, & Newell 1983] Card, S. K., Moran, T.P., & Newell, A. (1983). *The Psychology of Human-Computer Interaction.* Hillsdale, NJ: Lawrence Erlbaum Associates.

[Grisson and Koschmann 1995] Grisson, S., Koschmann, T.D. (1995). Hypermedia without Programming: Automatic Generation of Presentation Documents for Case-Based Instruction. *National Educational Computing Conference 1995,* Eugene, OR.

[Hmelo, et al. 1995] Hmelo, C., Vanegas, J., Realff, M., Bras, B., Mulholland, J., Shikano, T., & Guzdial, M. (1995). Technology Support for Collaborative Learning in a Problem-Based Curriculum for Sustainable Technology. *CSCL '95* Bloomington, IN. 169-172.

[Koschmann 1996] Koschmann T. (Ed.). (1996). *CSCL: Theory and Practice of an Emerging Paradigm.* Mahwah, New Jersey: Lawrence Erlbaum Associates.

[Kulik and Kulik 1979] Kulik, J. A., and Kulik, C.L.C. (1979). *College Teaching.* In P. L. Peterson and H. J. Walberg (Eds.) , Research on Teaching: Concepts, Findings, and Implications (pp. 70-93). Berkeley, CA: McCutchan Publishing Corporation.

[Mahling, et al. 1995] Mahling, D., Sorrows, B., and Skogseid, I. (1995). A Collaborative Environment for Semi-Structured Medical Problem-Based Learning. *Computer-Supported Collaborative Learning. 1995.* Bloomington, IN. 218-225.

[McKeackie 1980] McKeackie, W. (Ed.). (1980). *Learning, Cognition, and College Teaching.* San Francisco, CA: Josseey-Bass.

[Meyers, et al. 1990] Meyers, A., Barrows, H., Koschmann, T., and Feltovich, P. (1990). The Facilitation of Problem-Based Learning in Medical Education Through a Computer-Mediated Tutorial Laboratory. *Symposium on Computer Applications in Medical Care. 1990.*

[Norman 1991] Norman, K. (1991). *The Psychology of Menu Selection: Designing Cognitive Control at the Human/Computer Interface.* Norwood, NJ: Ablex Publishing Corporation.

[Schneiderman 1992] Schneiderman, B. (1992). *Designing the User Interface* (2nd ed.). Reading, MA: Wesley Publishing Company.

[Smith 1986] Smith, D. G. (1986). *Cooperative Learning Groups.* St Paul, MN: Northwest Area Foundation.

[Spiro, et al. 1987] Spiro, R. J., Vispoel, W., Schmitz, J., Smarapungavan, A., and Boerger, A. (1987). *Knowledge acquisition for application: cognitive flexibility and transfer in complex domains.* Hillsdale, NJ: Lawrence Erlbaum Associates.